









































































Profile overview and static profile values for Series A72

	Profile number	Horizontal axis		Vertical axis		Overall perimeter mm	Page A72		Profile number	Horizontal axis		Vertical axis		Overall perimeter mm	Page A72
		J_x [cm ⁴]	W_x [cm ³]	J_y [cm ⁴]	W_y [cm ³]					J_x [cm ⁴]	W_x [cm ³]	J_y [cm ⁴]	W_y [cm ³]		
	P572100	8.9	3.4	4.7	1.5	264	7		P572112	13.6	3.49	13.52	5.39	277	8
	P572101	11.2	4.4	8.7	2.5	283	7		P572113	14.54	3.64	13.7	6.09	371	8
	P572102	14.7	5.9	15.5	3.8	303	7		P572204	-	-	-	-	359	13
	P572103	8.5	3.3	6.1	1.8	339	7		P572205	-	-	-	-	381	13
	P572104	11.0	4.7	7.7	3.2	309	7		P572210	-	-	-	-	345	12
	P572105	12.2	4.9	10.3	2.8	405	7		P572211	-	-	-	-	363	12
	P572106	9.0	4.0	4.1	2.3	195	8		P572212	-	-	-	-	409	12
	P572107	12.8	5.7	9.4	4.1	215	8		P572213	-	-	-	-	427	12
	P572108	12.4	4.9	12.4	4.9	231	8		P572300	10.2	3.6	8.9	2.5	353	10
	P572111	99.61	16.32	4.44	3.72	410	9		P572301	12.5	4.6	15.0	3.8	372	10
									P572302	16.2	6.0	23.5	5.2	392	10

Profile overview and static profile values for Series A72

	Profile number	Horizontal axis		Vertical axis		Overall perimeter mm	Page A72		Profile number	Horizontal axis		Vertical axis		Overall perimeter mm	Page A72
		J_x [cm ⁴]	W_x [cm ³]	J_y [cm ⁴]	W_y [cm ³]					J_x [cm ⁴]	W_x [cm ³]	J_y [cm ⁴]	W_y [cm ³]		
	P572303	23.3	9.2	70.1	11.7	452	11		P472600	-	-	-	-	93	15
	P572304	32.6	13.1	183.5	22.9	532	11		P572601	-	-	-	-	294	14
	P572306	52.0	12.5	17.9	7.6	285	9		P472602	-	-	-	-	468	15
	P572307	133.4	21.4	25.2	10.9	365	9		P472603	-	-	-	-	358	15
	P572308	49.7	12.4	31.6	7.0	468	10		P472604	-	-	-	-	-	15
	P572315	17.1	5.0	9.0	2.5	349	10		P472606	-	-	-	-	118	15
	P572315	17.1	5.0	9.0	2.5	349	10		P472610	-	-	-	-	179	16
	P573004	41.6	17.0	349.4	36.9	613	11		P572611	-	-	-	-	141	16
	P573005	23.0	5.0	23.0	5.0	408	12		P472657	-	-	-	-	224	15
	P573007	25.8	6.6	63.0	10.1	460	12		P472660	-	-	-	-	102	15
	P573007	25.8	6.6	63.0	10.1	460	12		P472674	-	-	-	-	169	16

Profile overview glazing beads and supplementary profiles for Series A72

	Profile number	Surface finishing: A minimum parameter of 130 mm is taken as the basis for calculation.					External perimeter excluding insulating zone	Page A72 Glazing		Profile number	Surface finishing: A minimum parameter of 130 mm is taken as the basis for calculation.					External perimeter excluding insulating zone	Page A72 Glazing
	P594 053	-	-	-	-	-	122	1		P594 100	-	-	-	-	-	92	2
	P594 055	-	-	-	-	-	130	1		P594 101	-	-	-	-	-	90	2
	P594 057	-	-	-	-	-	109	1		P594 102	-	-	-	-	-	93	2
	P594 058	-	-	-	-	-	109	1		P594 103	-	-	-	-	-	103	2
	P594 059	-	-	-	-	-	110	1		P594 104	-	-	-	-	-	111	2
	P594 064	-	-	-	-	-	116	1		P594 105	-	-	-	-	-	117	2
	P594 065	-	-	-	-	-	126	1		P594 106	-	-	-	-	-	121	2
	P494 071	-	-	-	-	-	121	1		P594 107	-	-	-	-	-	125	2
	P494 072	-	-	-	-	-	131	1		P496 023	-	-	-	-	-	69	/
	P494 073	-	-	-	-	-	139	1		P496 099	-	-	-	-	-	51	/
										P423 401	-	-	-	-	-	179	/
										P446 618	-	-	-	-	-	82	/
										P497 120	-	-	-	-	-	95	/