




































System-dependent accessories
HUECK Series 1.0 | 1.0 IF | A72








Windows/Doors Europe	
Contents Accessories	Page
1. Contents	2
2. Centre seal gaskets Rebate gaskets	3
3. Glazing gaskets 1.04	
4. Glazing from the outside 1.0	5
5. Glazing gaskets 1.0 IF	6 – 7
6. Centre seal gaskets Glazing gaskets A72	8
7. Expansion gaskets	9
8. Shaped gasket pieces	10 – 11
9. General accessories	12 – 16














	Series			Series		
	1.0	1.0 IF		1.0	1.0 IF	A 72
 <p>Z 911 020 22 Centre seal gasket, suitable for all fixed frames and transom profiles</p>	•	•	 <p>Z 911 115 22 Centre seal gasket for profile B 510 205 (sashes opening out, projecting out sashes), can only be used with shaped corner piece gasket Z 911 541</p>	•		
<p>Z 911 130 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 020 21 (siliconised). Please indicate frame dimension "a" when placing an order! - see illustration - (Please observe the delivery time)</p>	•	•				
 <p>Z 911 070 Shaped gasket piece, vulcanised, suitable for centre seal gasket Z 911 020 22, can be used for mitre joints and transom joints in the fixed frame. Leg length 40 mm</p>	•	•	 <p>Z 911 541 Shaped corner piece gasket, suitable for centre seal gasket Z 911 115 22 (for sashes opening out, projecting out sashes)</p>	•		
 <p>Z 911 115 22 Centre seal gasket for rotary handle operated turn/tilt windows, can only be used as vulcanised frame</p>	•		 <p>Z 907 144 22 Rebate gasket, internal, for sash profiles, made of EPDM, black</p>	•	•	•
<p>Z 911 116 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 115 21 (siliconised). Please indicate frame dimension "a" when placing an order! - see illustration - (Please observe the delivery time)</p>	•		 <p>Z 907 423 Rebate gasket, internal, for sash profiles, made of silicone, white</p>	•	•	•
<p>Illustration dimension "a"</p> 			<p>Pivoting sash</p>  <p>Z 914 081 22 Rebate gasket, for pivoting sash, inside fixed frame and sash</p>	•		
			 <p>Z 914 010 Gasket cord, diam. = 7 mm, for reversible profile B 510232</p>	•		
			 <p>Z 912 955 22 Cover gasket, horizontal, for the lower fixed frame of pivoting sashes, made of EPDM, black</p>	•		
			 <p>Z 914 002 Shaped gasket piece, for reversible profile B 510 232 of pivoting sashes, 2 required for each element</p>	•		















	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
<p>Glazing gaskets</p>  <p>Z 911 026 22 Glazing gasket -external- made of EPDM, black, 4 mm spacer, for all sash profiles, fixed frame profiles and transom profiles</p> <p>Z 911 725 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 026 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p> <p>Illustration dimension "b"</p>  <p>Glazing gasket -external- made of EPDM, black, 13 mm spacer suitable for sash profile B 510 205 in combination with interlocking fixed frame Only available as vulcanised frame</p> <p>Z 911 373 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 117 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p> <p>See glazing tables</p>	•			<p>Glazing gaskets</p>  <p>Z 911 072 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 4 and 6.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> <p>Z 911 107 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 5.5 and 8 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> <p>Z 911 019 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 6.5 and 9 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> <p>Z 911 073 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 7.5 and 10.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> <p>Z 911 610 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions of 3 mm, for sash profile B 510210</p> <p>Z 911 613 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions of 5 mm, for sash profile P 535007</p> <p>See glazing tables</p>	•		








	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
<p>Glazing from the outside</p> <p>Z 911 026 22  Glazing gasket -external- made of EPDM, black, 4 mm spacer, for all sash profiles, fixed frame profiles and transom profiles</p>	•			<p>Glazing from the outside</p> <p>Z 911 074 22  Glazing gasket made of EPDM, black, for gap dimension of 4 mm, can be used in accordance with the glazing table</p>	•		
<p>Z 911 072 22  Glazing gasket made of EPDM, black, for gap dimensions between 4 and 6.5 mm, can be used in accordance with the glazing table</p>	•			<p>Z 911 114 22  Glazing gasket made of EPDM, black, for gap dimension of 5 mm, can be used in accordance with the glazing table</p>	•		
<p>Z 911 107 22  Glazing gasket made of EPDM, black, for gap dimensions between 5.5 and 8 mm, can be used in accordance with the glazing table</p>	•			<p>Z 911 054 22  Glazing gasket made of EPDM, black, for gap dimension of 6 mm, can be used in accordance with the glazing table</p>	•		
<p>Z 911 019 22  Glazing gasket made of EPDM, black, for gap dimensions between 6.5 and 9 mm, can be used in accordance with the glazing table</p>	•			<p>Z 911 075 22  Glazing gasket made of EPDM, black, for gap dimension of 8 mm, can be used in accordance with the glazing table</p>	•		
<p>Z 911 073 22  Glazing gasket made of EPDM, black, for gap dimensions between 7.5 and 10.5 mm, can be used in accordance with the glazing table</p>	•			<p>Z 911 076 22  Glazing gasket made of EPDM, black, for gap dimension of 10 mm, can be used in accordance with the glazing table</p>	•		
				<p>Z 911 077 22  Glazing gasket made of EPDM, black, for gap dimension of 12 mm, can be used in accordance with the glazing table</p>	•		
<p>See glazing tables</p>				<p>See glazing tables</p>			

	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
<p>Glazing gaskets -external-</p>  <p>Glazing gasket -external- made of EPDM, black, suitable for integrated window profile B 510 270, in combination with glazing bead P 410 670 Only available as vulcanised frame</p> <p>Z 911 069 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 055 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p>  <p>Glazing gasket -external- made of EPDM, black, suitable for integrated window profile B 510 271, in combination with glazing bead P 410 672 Only available as vulcanised frame</p> <p>Z 911 838 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 839 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p> <p>Illustration dimension " b "</p>  <p>See glazing tables</p>							
		•		<p>Glazing gaskets -internal-</p> <p>Z 911 113 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 2 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
		•		<p>Z 911 074 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 4 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
		•		<p>Z 911 054 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 6 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
		•		<p>Z 911 075 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 8 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
				<p>Z 911 076 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 10 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
				<p>Z 911 077 22 Glazing gasket -internal- made of EPDM, black, for gap dimension of 12 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> 			
				<p>Gasket cutting shears Z 908 439 -> see: Tools</p> <p>See glazing tables</p>			

	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
<p>Glazing gaskets</p>  <p>Z 911 026 22 Glazing gasket -external- made of EPDM, black, 4 mm spacer suitable for fixed glazing with profiles B 510 170 - 173 / B 510 370 - 372</p> <p>Z 911 725 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 026 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p>  <p>Glazing gasket -external- made of EPDM, black, 13 mm spacer suitable for fixed glazing with profiles B 510 170 - 173 / B 510 370 - 372, the 13 mm spacer corresponds to the pane recess of the inserted sash B 510 270 Only available as vulcanised frame</p> <p>Z 911 373 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 911 117 21 (siliconised). Please indicate frame dimension "b" when placing an order! - see illustration - (Please observe the delivery time)</p> <p>Illustration dimension "b"</p>  <p>See glazing tables</p>				<p>Glazing gaskets</p>  <p>Z 911 072 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 4 and 6.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>  <p>Z 911 107 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 5.5 and 8 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>  <p>Z 911 019 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 6.5 and 9 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>  <p>Z 911 073 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 7.5 and 10.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p> <p>See glazing tables</p>			

		Series			Series
		A 72			A 72
	<p>Z 907 200 22 Centre seal gasket, suitable for all A72 fixed frames and transom profiles</p>	•		<p>Z 911 081 22 Glazing gasket -external- made of EPDM, black, 4 mm spacer, for all sash profiles, fixed frame profiles and transom profiles</p>	•
	<p>Z 907 203 22 Gasket frame, surcharge for vulcanising a frame made of profile Z 907 200 21 (siliconised). Please indicate frame dimension "a" when placing an order! - see illustration - (Please observe the delivery time)</p>	•		<p>Z 911 079 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 4 and 7 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•
				<p>Z 911 108 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 5.5 and 8 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•
	<p>Z 907 201 Shaped gasket piece, vulcanised, suitable for centre seal gasket Z 907 200 22, for use in fixed frame for mitre and transom joints, leg length 50 mm</p>	•		<p>Z 911 078 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 6.5 and 9 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•
	<p>Z 909 608 Shaped plastic piece, black, can be painted, can be used as end piece for profile P 446 618 on left and right side</p>	•		<p>Z 911 080 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 7.5 and 10.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•
	<p>Z 907 421 Filling piece for lateral sealing of profiles P 472 602 / 603 2 required</p>	•		<p>Pivoting sash</p> <p>Z 905 803 22 Interior rebate gasket, for pivoting sashes</p>	•
	<p>Z 908 170 Filling piece for lateral sealing of profiles P 472 602 / 603 2 required</p>	•		<p>Z 907 217 Pressure plate glazing gasket, EPDM, black, for pivoting sashes</p>	•
	<p>Y 230 910 22 Glazing gasket -internal- made of EPDM, black, can be used for plate glass doors</p>	•		<p>Z 907 749 22 Cover gasket, horizontal, for the lower fixed frame of pivoting sashes. Vertically, the gasket should be adjusted to the lower horizontal line over a length of 150 mm</p>	•


	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
 <p>Z 904 107 22 Expansion gasket, made of EPDM, black, suitable for expansion profiles for housing a material thickness of 2 – 3 mm, e.g. P 496 100</p>  <p>P 496 100</p> <p>The indicated average assembly distance allows for a compensation of movement of ± 3 mm.</p> <p>If cladding sheets are used, 33 mm must be added to the average assembly distance.</p>	•	•	•	 <p>Z 904 088 Connecting gasket (plaster joint), made of EPDM, black, 35 mm wide, with notch for tearing off, for frame profiles with pick-up for snap-on profile</p>	•	•	•
				<p>Z 904 303 22 Connecting gasket, similar to Z 904 088, but 45 mm wide, without notch for tearing off, for frame profiles with pick-up for snap-on profile</p>	•	•	•
 <p>Z 904 126 22 Expansion gasket, made of EPDM, black, suitable for expansion profiles with accommodating channel, as above</p> <p>If an expansion profile is used, the required static values for the individual profiles must be observed!</p>	•	•	•	 <p>Z 909 876 22 Connecting gasket, made of EPDM, light grey, 30 mm wide, with notch for tearing off, for frame profiles with pick-up for snap-on profile</p>	•	•	•
 <p>Z 911 577 22 Expansion gasket, made of EPDM, black, suitable for expansion profiles with accommodating channel, as above</p> <p>If an expansion profile is used, the required static values for the individual profiles must be observed!</p>	•	•	•	 <p>Z 911 081 22 Glazing gasket -external- made of EPDM, black, 4 mm spacer, for all sash profiles, fixed frame profiles and transom profiles</p>	•		
				 <p>Z 911 078 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 6.5 and 9 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•		
				 <p>Z 911 080 22 Glazing gasket -internal- made of EPDM, black, for gap dimensions between 7.5 and 10.5 mm, can be used with glazing gaskets -external- in accordance with the glazing table</p>	•		
 <p>Z 906 481 22 Expansion gasket, made of EPDM, black, with notch for tearing off for profile P 572 111 for housing a material thickness of 2 mm</p>			•	 <p>B 410 609</p>			
 <p>Z 912 535 22 Gasket coupling, made of EPDM, black, for profile extensions with supplementary profile P 496 111 Gasket joints must be sealed</p>	•			 <p>B 510 606</p>			
 <p>Z 902 161 Gasket cord, EPDM, black, for sealing the outer snap-on profiles</p>	•	•	•				

		Series			Series				
		1.0	1.0 IF	A 72					
	Z 903 568 Shaped gasket piece for sealing the joints of profile P 552 643	•				Z 911 365 Shaped gasket piece for transom joints in the insulating zone area (area of the centre seal gasket)	•		
	Z 907 938 Adhesive tape, self-adhesive, 12 mm x 33 m, highly transparent, for fixing transom profile P 552 643	•				Z 912 546 Shaped gasket piece for transom joints, see table	•		
	Z 906 526 Shaped gasket piece for profiles B 510140 / 240 / 241 / 340	•				Z 906 526 Shaped gasket piece for transom joints, see table	•		
						Z 911 276 to Z 911 283 Shaped gasket pieces for transom joints (see processing instructions), see table	•		


The shaped gasket pieces shown in the table are mandatory for front chamber drainage!

Shaped gasket pieces for transom joints							
Profile	On profile	Quantity	Shaped gasket piece	Quantity	Shaped gasket piece	Quantity	Shaped gasket piece
B 510300	Series	2	Z 911 365	1	Z 911 276		
B 510300	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 276	1	Z 906 526
B 510301	Series	2	Z 911 365	1	Z 911 277		
B 510301	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 277	1	Z 912 546
B 510302	Series	2	Z 911 365	1	Z 911 278		
B 510303	Series	2	Z 911 365	1	Z 911 279		
B 510304	Series	2	Z 911 365	1	Z 911 280		
B 510305	Series	2	Z 911 365	1	Z 911 281		
B 510306	Series	2	Z 911 365	1	Z 911 276		
B 510306	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 276	1	Z 906 526
B 510307	Series	2	Z 911 365	1	Z 911 282		
B 510307	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 282	2	Z 906 526
B 510308	Series	2	Z 911 365	1	Z 911 282		
B 510308	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 282	2	Z 906 526
B 510316	Series	2	Z 911 365	1	Z 911 282		
B 510316	B 510116 B 510309 B 510310	2	Z 911 365	1	Z 911 282	2	Z 906 526
B 510340	Series	2	Z 911 365	1	Z 911 283	1	Z 906 526


Series



Z 911 366
Cover gasket for the
centre seal channel
in the horizontal area,
required in case of fixed
glazing with profile **B 510 671**





















Z 912 782
Shaped gasket piece
for profiles
B 510 270 - B 510 272
2 required for each corner




















Z 911 371
Shaped gasket piece
for profiles
B 510 173 - B 510 177





1.0	1.0 IF	A 72
	•	
	•	
	•	

	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
 <p>K 723 351 Base profile, made of hard PVC, suitable for fixed frames Length = 6.0 m</p>	•	•		 <p>Z 908 849 Bracket for window connection, suitable for fixed frames, to be used in combination with K 910 058 and P 510 607</p>	•	•	
 <p>K 910 011 Base profile, made of hard PVC, suitable for fixed frames such as B 510 104 Length = 6.50 m</p>	•	•	<p>Drain caps for covering the drainage slots in the fixed frame, slot dimensions: 8 x 30 mm for a wall thickness between 1.8 and 2.0 mm For punching tools see: Tools</p>  <p>Z 906 510 02 Z 906 510 64 Drain cap made of polycarbonate, can be painted, x = 14 mm, particularly suitable for ventilation slots in case of fixed glazing</p>	•	•	•	
 <p>K 910 058 Base profile, made of hard PVC, suitable for fixed frames Length = 6.5 m</p>	•	•	 <p>Z 903 541 * Z 903 541 02 Z 906 541 64 Drain cap made of aluminium, x = 8.5 mm</p>	•	•	•	
 <p>K 910 011 Base profile, made of hard PVC, suitable for fixed frames such as B 510 104 Length = 6.50 m</p>	•	•	<p>Z 912 448 Heavy-duty foil, 2 x 14 x 1400 mm, self-adhesive on one side, for windows of sound resistant class 5 (SSK 5)</p>	•			
 <p>Z 908 806 Sealing tape, made of EPDM, black, with foil, diam. = 0.8, for sealing wall connections L = 330 mm</p>	•	•	 <p>Z 912 448</p>				
<p>See Processing Information</p>							

	Series				Series		
	1.0	1.0 IF	A 72		1.0	1.0 IF	A 72
 <p>Z 901 683 Fixing bracket to be fixed by means of screws, suitable for profiles such as B 510 104 / 106 / 140</p>	•			 <p>Z 990 706 Connecting piece, as a spacer with set screw, suitable for profile P 472 604 Adjustment area = 20 mm</p>			•
 <p>Z 911 263 Fixing bracket as twist-on anchor bracket, suitable for profiles such as B 510 101</p>	•			 <p>Z 907 312 Connecting piece, as a spacer with set screw, suitable for profiles P 572 100 / 101 / 102 Adjustment area = 20 mm</p>			•
 <p>Z 901 687 Fixing bracket for windows, as twist-on anchor bracket, suitable for profile P 472 604</p>			•				
 <p>Z 906 825 Fixing bracket for windows, as twist-on anchor bracket, suitable for profiles such as P 572 100 / 101 / 102 / 160</p>			•	 <p>Z 906 316 Connecting piece for fixed sashes, length = 100 mm, 8 required for each sash -> see Processing: Drawing Register 200</p>	•	•	•
 <p>Z 903 428 Plastic base for fixing bracket Z 901 683 if profiles such as B 510 100 / 102 are used To be fixed by means of screw Z 903 432 and washer Z 901 133 -> see: Tools and auxiliary accessories</p>	•			 <p>Z 912 337 Connecting piece, as glazing bead retainer, required if round glazing beads P 594 100 - 109 are used</p> <p>Installation: cf. Processing Information!</p>	•		•

		Series					Series		
		1.0	1.0 IF	A 72			1.0	1.0 IF	A 72
	<p>Z 911 615 Corner strengthening piece for glass support webs if fixed frame profiles are used, with guide groove for sealing material Z 912 717 for sealing the mitre joints</p>	•		•		<p>Z 912 363 Corner strengthening piece for glass support webs if profiles such as B 510 230 are used</p>	•		
	<p>Z 911 616 Corner strengthening piece for stabilising the sash lap over the frame, 4 required</p>	•		•		<p>Z 911 183 Corner strengthening piece for glass support webs if profiles such as B 510 240 / 241 are used</p>	•		
	<p>Z 911 585 Corner strengthening piece for glass support webs if profiles such as B 510 200 / 201 / 203, are used, with guide groove for sealing material Z 912 717 for sealing the mitre joints</p>	•				<p>Z 907 315 Corner strengthening piece for glass support webs if profiles such as P 572 100 - 103 are used</p>			•
	<p>Z 911 458 Corner strengthening piece for B 510 203 (internal rabbet) and profile B 510 205</p>	•				<p>Z 907 316 Corner strengthening piece for stabilising the external profile stop of profile P 572 205</p>			•
	<p>Z 911 182 Corner strengthening piece for glass support webs if profiles such as B 510 140 / 340 are used</p>	•							
See Processing Information									

		Series				
		1.0	1.0 IF	A 72		
see illustration Situation 1	<p>Z 911 579 31 Corner strengthening piece for stabilising the external profile stop of profiles B 510 170 - 173 / 370</p> 		•		<p>Example Situation 1</p>  <p>Z 911 579 31</p>	
see illustration Situation 1	<p>Z 911 957 31 Corner strengthening piece for stabilising the external profile stop of profiles B 510 176 / 177</p> 		•			
	<p>Z 903 460 Corner strengthening piece for stabilising the external profile stops for combinations with Z 911 579 31 / 957 31</p> 		•			
	<p>Z 911 388 31 Corner strengthening piece for stabilising the external profile stop of profiles B 510 370 - 373 B 510 170 - 175</p> 		•		<p>Example Situation 1</p>  <p>Z 903 460</p> <p>Z 911 579 31 Z 911 957 31</p>	
see illustration Situation 1*						
see illustration Situation 2 - R Situation 3 - L	<p>Z 911 389 31 L Z 911 395 31 R Corner strengthening piece for stabilising the external profile stop of profiles B 510 370 / 371 mit B 510 371 / 372</p> 		•			
	<p>Z 907 776 02 Z 907 776 12 Corner strengthening piece for stabilising the external profile stop of profiles B 510 372</p> 		•		<p>See next page for scheme for situation 1 to 3</p>	



DK = turn-tilt sash
D = side-hung sash
F = fixed glazing
Corner strengthening piece for Situation 1 to 3
-> see Accessories